Polymer Works, Hope Street Dudley, West Midlands DY2 8RS

t: 01384 252555 f: 01384 252373

e: technical@advancedseals.co.uk



http://www.advancedseals.co.uk

## Specification Sheet / 01 Orange Open Cell Sponge 160FF



Property	Value				
Polymer	Natural Rubber				
Hardness	Soft				
Cell structure	Very Fine Pore				
Colour	Orange				
Compressive Strength	approx 5kPa				
Tensile Strength	approx 0.19/N/mm2				
Elongation at break	Арргох 500%				
Continued Tensile Strength	approx 1.0 N/mm				
Abrasion resistance	Good				
Heat resistance	up to 60-70c				
Cold resistance at -40c	Requirements fulfilled				
Water absorption	Approx 422 weight %				
Ozone resistance	Not resistant				
Flammability	Highly flammable, burns with sooting				
Stability	Not resistant towards acids, alkalis, oils, fats and solvents.				
Change Control Date	Change				

Change Control Date			Change				
30/07/2013				Created			



The above figures are average values.

We recommend that you examine any material you select to ensure its suitability for your application. Tolerance(s) applied in accordance with ASG specification No WI007 (https://bit.ly/3nKm6Hj) unless otherwise stated. Our standard terms and conditions of trading (https://bit.ly/3b3mThw) apply at all times.

